




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification⁴ : A61K 33/16, 33/42 // (A61K 33/42 A61K 33:16, 31:565)	A1	(11) International Publication Number: WO 89/ 09058 (43) International Publication Date: 5 October 1989 (05.10.89)
(21) International Application Number: PCT/EP89/00326 (22) International Filing Date: 24 March 1989 (24.03.89) (31) Priority Application Number: 8800749 (32) Priority Date: 25 March 1988 (25.03.88) (33) Priority Country: NL (71) Applicant (for all designated States except US): AKZO N.V. [NL/NL]; Velperweg 76, NL-6824 BM Arnhem (NL). (72) Inventor; and (75) Inventor/Applicant (for US only) : SCHOT, Lodewijk, Pieter, Cornalis [NL/NL]; Van Schaikstraat 45, NL-5344 SC Oss (NL). (74) Agent: HERMANS, Franciscus, Guilielmus, Maria; Postbus 20, NL-5340 BH Oss (NL).		(81) Designated States: AT (European patent), AU, BE (European patent), CH (European patent), DE (European patent), DK, FI, FR (European patent), GB (European patent), IT (European patent), JP, KR, LU (European patent), NL (European patent), SE (European patent), US. Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>

(54) Title: PHARMACEUTICAL PREPARATION CONTAINING A FLUORIDE SALT

**(57) Abstract**

The invention relates to a pharmaceutical preparation containing a fluoride salt and a steroid with the general formula (I), wherein $R_1 = H_2$, $H(OR_5)$ or O ; $R_2 = (\alpha R_6) (\beta OR_7)$; $R_3 = H$ or (1-4 C)alkyl in position 6 or 7; $R_4 = (1-4 C)$ alkyl; $R_5 = H$ or (1-18 C)acyl; $R_6 = H$ or (1-4 C)hydrocarbon radical; $R_7 = H$ or (1-18 C)acyl; and the broken lines indicate the presence of an additional bond in the 4,5- or 5,10-position.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FR	France	ML	Mali
AU	Australia	GA	Gabon	MR	Mauritania
BB	Barbados	GB	United Kingdom	MW	Malawi
BE	Belgium	HU	Hungary	NL	Netherlands
BG	Bulgaria	IT	Italy	NO	Norway
BJ	Benin	JP	Japan	RO	Romania
BR	Brazil	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	LI	Liechtenstein	SN	Senegal
CH	Switzerland	LK	Sri Lanka	SU	Soviet Union
CM	Cameroon	LU	Luxembourg	TD	Chad
DE	Germany, Federal Republic of	MC	Monaco	TG	Togo
DK	Denmark	MG	Madagascar	US	United States of America
FI	Finland				

Pharmaceutical preparation containing a fluoride salt.


The invention relates to a pharmaceutical preparation containing a fluoride salt.

Such preparations are known, in particular for treating osteoporosis. Fluoride salts such as, for example, NaF and $\text{Na}_2\text{PO}_3\text{F}$ stimulate the trabecular bone substance and are therefore suitable for treating osteoporosis. A disadvantage of such preparations is that they cause cortical bone loss and a change in the structure of the cortical bone. As a consequence thereof, the bone becomes more brittle, which has in turn the consequence that more frequent and ready bone fractures, in particular hip fractures, occur.

It is further known that bone-protecting steroids are used to prevent and/or treat osteoporosis and more generally, diseases which are the result of excessively low bone substance.

Surprisingly, it has now been found that by using certain steroids in combination with said fluoride salts for preventing and/or treating such diseases and, in particular, osteoporosis, the disadvantages associated with the use of said fluoride salts can be reduced and/or be avoided.

The invention therefore relates to a pharmaceutical preparation containing a fluoride salt and a steroid with the general formula:



wherein

$R_1 = H_2, H(OR_5)$ or 0;

$R_2 = (\alpha R_6) (\beta OR_7)$;

$R_3 = H$ or (1-4 C)alkyl in position 6 or 7;

$R_4 = (1-4 C)$ alkyl;

$R_5 = H$ or (1-18 C)acyl;

$R_6 = H$ or (1-4 C)hydrocarbon radical;

$R_7 = H$ or (1-18 C)acyl; and

the broken lines indicate the presence of an additional bond in the 4,5- or 5,10-position.

(1-4 C)Alkyl is understood to mean methyl, ethyl, propyl, isopropyl, butyl, isobutyl or tert-butyl. R_3 is preferably methyl and is, in addition, preferably situated in the α -position. R_4 is preferably methyl.

As is already indicated by the affix (1-18 C), (1-18 C) acyl is derived from an organic carboxylic acid containing 1-18 carbon atoms. As examples thereof mention may be made of: formic acid, acetic acid, propionic acid, butyric acid, isobutyric acid, trimethylacetic acid, valeric acid, caproic acid, capric acid, pelargonic acid, undecylenic acid, lauric acid, palmitic acid, oleic acid, phenylacetic acid, phenylpropionic acid, cyclopentylpropionic acid, cyclohexylcarboxylic acid, cyclooctylacetic acid, benzoic acid, fumaric acid, maleic acid, succinic acid, citric acid.

(1-4 C)Hydrocarbon radical is understood to mean one of the groups designated above as (1-4 C)alkyl or an unsaturated variant thereof containing 2-4 carbon atoms, such as vinyl, ethynyl, allyl, propargyl, isopropenyl, butynyl or butadienyl.

R₆ is preferably ethynyl, R₇ then preferably being H.

Salts which are readily soluble in water such as NaF, KF and Na₂PO₃F are preferably used as fluoride salts. The greatest preference is for Na₂PO₃F.

Examples of steroids having the formula I which may be used according to the invention are:

17 α -ethyl-17 β -hydroxy- Δ^4 -oestrene,
17 β -hydroxy- Δ^4 -oestren-3-one,
7 α -methyl-17 α -ethynyl-17 β -hydroxy- $\Delta^{5(10)}$ -oestren-3-one,
7 α -methyl-17 α -ethynyl- $\Delta^{5(10)}$ -oestren-17 β -ol,
7 α -methyl-17 α -ethynyl-17 β -hydroxy- Δ^4 -oestren-3-one,
7 α -methyl-17 α -ethyl-17 β -hydroxy- $\Delta^{5(10)}$ -oestren-3-one,
7 α -methyl-17 α -ethynyl- $\Delta^{5(10)}$ -oestrene-3 α ,17 β -diol,
7 α -methyl-17 α -ethynyl- $\Delta^{5(10)}$ -oestrene-3 β ,17 β -diol,
7 α -methyl-17 α -allyl-17 β -hydroxy- $\Delta^{5(10)}$ -oestren-3-one,
7 α ,17 α -dimethyl-17 β -hydroxy- Δ^4 -oestren-3-one,
7 α -methyl-17 α -ethynyl- Δ^4 -oestrene-3 β ,17 β -diol,
6 α -methyl-17 β -hydroxy- Δ^4 -oestren-3-one,
6 α -methyl-17 β -hydroxy- Δ^4 -oestren-3-one,
6 α -methyl-17 α -ethynyl-17 β -hydroxy- Δ^4 -oestren-3-one,
6 α -methyl-17 α -ethyl-17 β -hydroxy- Δ^4 -oestren-3-one,
6 α -methyl-17 α -ethynyl- Δ^4 -oestren-17 β -ol,
6 α -methyl-17 α -ethynyl-17 β -hydroxy- $\Delta^{5(10)}$ -oestren-3-one,
6 α -methyl-17 α -allyl-17 β -hydroxy- $\Delta^{5(10)}$ -oestren-3-one, and
esters thereof. The greatest preference is for
7 α -methyl-17 α -ethynyl-17 β -hydroxy- $\Delta^{5(10)}$ -oestren-3-one.

The pharmaceutical preparations according to the invention can be prepared by known galenical techniques by converting the respective steroid compound and the fluoride salt into a form which is suitable for enteral (for example, oral or rectal, and preferably oral) use. For this purpose, the steroid compound and the fluoride salt are mixed with or dissolved in a pharmaceutically acceptable carrier.

Examples of such preparations are tablets, pills, dragees, pastilles, suppositories, powders, (micro)capsules, emulsions, suspensions and solutions.

The quantity of steroid in the preparation to be administered is 0.05-10.0 mg and usually 0.1-5.0 mg. The quantity of fluoride salt in the preparations to be administered is 1-250 mg and usually 10-100 mg. The daily dosage is usually 1-3 dosage units.

The pharmaceutically acceptable carriers may be composed of one or more of the following ingredients: starch (for example, potato starch, maize starch), sugars (for example, lactose), lubricants (magnesium stearate, stearic acid), binders (for example, amylopectin, polyvinylpyrrolidone), water, alcohol, glycerol and derivatives thereof, vegetable, animal and mineral oils and fats, fatty alcohols, silicones, lanolins, polyalkylene glycols, cellulose derivatives, silica, dispersants, emulsifiers, surface active substances, antioxidants, preservatives, etc.

The preparations according to the invention may suitably be used to prevent and/or treat diseases which occur as a consequence of an excessively low bone substance and in particular, of osteoporosis.

The invention is explained on the basis of the following examples.

Example 1 (tablet)

7 α -Methyl-17 α -ethynyl-17 β -hydroxy- $\Delta^5(10)$ -oestren-3-one,	2.5	mg
Na ₂ PO ₃ F	50.0	mg
Potato starch	25.0	mg
Magnesium stearate	1.25	mg
Ascorbyl palmitate	0.5	mg
Amylopectin	5.0	mg
Lactose to	250.0	mg

Example 2 (tablet)


7 α -Methyl-17 α -ethyl-17 β -hydroxy- $\Delta^5(10)$ -oestren-3-one,	2.0	mg
Na ₂ PO ₃ F	30.0	mg
Maize starch	25.0	mg
Stearic acid	2.5	mg
Silica ("Aerosil")	2.5	mg
Polyvinylpyrrolidone	7.5	mg
dl- α -Tocopherol	0.25	mg
Lactose to	250.0	mg

Example 3 (tablet)

7 α -Methyl-17 α -ethynyl-17 β -hydroxy- Δ^4 -oestren-3-one,	5.0	mg
Na ₂ PO ₃ F	50.0	mg
Potato starch	62.5	mg
Magnesium stearate	10.0	mg
dl- α -Tocopherol	0.5	mg
Lactose to	250.0	mg

Claims

1. Pharmaceutical preparation containing a fluoride salt and a steroid with the general formula:



wherein

- $R_1 = H_2, H(OR_5)$ or 0;
 $R_2 = (\alpha R_6) (\beta OR_7)$;
 $R_3 = H$ or (1-4 C)alkyl in position 6 or 7;
 $R_4 = (1-4 C)$ alkyl;
 $R_5 = H$ or (1-18 C)acyl;
 $R_6 = H$ or (1-4 C)hydrocarbon radical;
 $R_7 = H$ or (1-18 C)acyl; and
 the broken lines indicate the presence of an additional bond in the 4,5- or 5,10-position.

2. Pharmaceutical preparation according to Claim 1, characterized in that the fluoride salt is water-soluble.
3. Pharmaceutical preparation according to Claim 1-2, characterized in that the fluoride salt is a sodium salt.
4. Pharmaceutical preparation according to Claim 1-3, characterized in that the fluoride salt is Na_2PO_3F .

5. Pharmaceutical preparation according to Claim 1-4, characterized in that the steroid is 7 α -methyl-17 α -ethynyl-17 β -hydroxy- $\Delta^5(10)$ -oestren-3-one.
6. Pharmaceutical preparation according to Claim 1-5, characterized in that the quantity of steroid is 0.05-10.0 mg.
7. Pharmaceutical preparation according to Claim 1-6, characterized in that the quantity of salt is 1-250 mg.

INTERNATIONAL SEARCH REPORT

International Application No PCT/EP 89/00326

I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) * According to International Patent Classification (IPC) or to both National Classification and IPC IPC ⁴ : A 61 K 33/16, A 61 K 33/42, //(A 61 K 33/42, 33:16, 31:565)											
II. FIELDS SEARCHED <div style="text-align: center; margin-top: 10px;">Minimum Documentation Searched ⁷</div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%; padding: 5px;">Classification System</td> <td style="padding: 5px;">Classification Symbols</td> </tr> <tr> <td style="padding: 5px;">IPC⁴</td> <td style="padding: 5px;">A 61 K</td> </tr> </table> <div style="text-align: center; margin-top: 10px;">Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched ⁸</div>			Classification System	Classification Symbols	IPC ⁴	A 61 K					
Classification System	Classification Symbols										
IPC ⁴	A 61 K										
III. DOCUMENTS CONSIDERED TO BE RELEVANT ¹ <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 10%; padding: 5px;">Category *</th> <th style="width: 70%; padding: 5px;">Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²</th> <th style="width: 20%; padding: 5px;">Relevant to Claim No. ¹³</th> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">A</td> <td style="padding: 5px;">US, A, 3287219 (CHARLES J. NEMANICK) 22 November 1966 --</td> <td style="text-align: center; vertical-align: top; padding: 5px;">1-7</td> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">A</td> <td style="padding: 5px;">Rote Liste, 1980, Editio Cantor (Aulendorf, Württ., DE), no. 61051 B, "Calstabil" ----</td> <td style="text-align: center; vertical-align: top; padding: 5px;">1-7</td> </tr> </table>			Category *	Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³	A	US, A, 3287219 (CHARLES J. NEMANICK) 22 November 1966 --	1-7	A	Rote Liste, 1980, Editio Cantor (Aulendorf, Württ., DE), no. 61051 B, "Calstabil" ----	1-7
Category *	Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³									
A	US, A, 3287219 (CHARLES J. NEMANICK) 22 November 1966 --	1-7									
A	Rote Liste, 1980, Editio Cantor (Aulendorf, Württ., DE), no. 61051 B, "Calstabil" ----	1-7									
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>* Special categories of cited documents: ¹⁰</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="width: 45%;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"A" document member of the same patent family</p> </div> </div>											
IV. CERTIFICATION <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; padding: 5px;">Date of the Actual Completion of the International Search</td> <td style="width: 50%; padding: 5px;">Date of Mailing of this International Search Report</td> </tr> <tr> <td style="padding: 5px;">21st July 1989</td> <td style="padding: 5px;">11 AUG 1989</td> </tr> <tr> <td style="padding: 5px;">International Searching Authority EUROPEAN PATENT OFFICE</td> <td style="padding: 5px;">Signature of Authorized Officer M. VAN MOL </td> </tr> </table>			Date of the Actual Completion of the International Search	Date of Mailing of this International Search Report	21st July 1989	11 AUG 1989	International Searching Authority EUROPEAN PATENT OFFICE	Signature of Authorized Officer M. VAN MOL			
Date of the Actual Completion of the International Search	Date of Mailing of this International Search Report										
21st July 1989	11 AUG 1989										
International Searching Authority EUROPEAN PATENT OFFICE	Signature of Authorized Officer M. VAN MOL										

Form PCT/ISA/210 (second sheet) (January 1985)

SA 27474

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are as contained in the European Patent Office (EPO) file on 04/08/89

The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

None

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

THIS PAGE BLANK (USPTO)